

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL SERVICES DIVISION REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

MAY 1 5 1995

MEMORANDUM

SUBJECT: Transmittal of Analytical Data for General Electric

Company, West Burlington, Iowa (ADF13)

FROM:

Robert B. Dona RB Dona

Environmental Engineer, EDSB/ENSV

THRU:

Jeffrey A. Wandtke

Regional QA Manager, EDSB/ENSV

TO:

Donald L. Lininger

Work Assignment Manager, IOWA/RCRA/ART

I have attached a copy of our Analysis Request Report for the RCRA closure oversight sampling performed by the U. S. Geological Survey on April 19, 1995, at the General Electric Company, West Burlington, Iowa. The data from analysis of the laboratory quality control samples have not been included but are available at your request.

I am also including copies of the original field sheets and chain-of-custody record. If you have any questions, please call me at 551-5182.

Attachments



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL SERVICES DIVISION REGION 7 25 FUNSTON ROAD KANSAS CITY. KANSAS 66115

	MAY 2 1995	
DATE:		
MEMORANDI	UM	
SUBJECT:	Data Transmittal for Activity #: ADFI Site Description:	3 ALCCO
FROM:	Andrea Jirka M. Chornes Chief, Laboratory Branch, ENSV	
TO:	Dale Bates Chief, EDSB-ENSV	DECENVE
ATTN:	Bol-Dona	RBDona
Att	ached is the data transmittal for the above refe	erenced
site. Th	ne data contained in this transmittal have been ap	oproved by
the Labo	ratory Branch. This should be considered a	_ Partial
or _	Complete data transmittal (completes transmittal	l of
<u> </u>). The Project Leader should notify the Lak	
Branch w	ithin 14 days of any changes in the LAST analyti	ical
database	. If you have any questions, comments, or data	changes,
please c	ontact Dee Simmons at 551-5129.	
Attachme	nt	

Analytical Data File

cc:



DRAFT U.S. ENVIRONMENTAL	ENVIRONMENTAL PR	ELD SHEET ROTECTION AGENCY, REGION VII 25 FUNSTON RD. KANSAS CITY, KS 66115	
		QCC: _ MEDIA: WATER PL: DONA, BOB	_
LOCATION: WEST F	BURLINGTON IA	REF LATITUDE:	
SAMPLE DES: DEC. LOCATION: OUTDO CASE/BATCH/SMO: STORET/AIRS NO:	ONTAMMATION RINSE	DATE WATER BEG: 4/19/95 3:30 EAST: LAB: END:	P'
1 L CUBITAINER 2-40 ML VIALS	PRESERVATIVE 1:1 HN03 1:1 HN03 1:1 HN03 1:1 HN03	WM14 LEAD, TOTAL, BY ICAP WM06 CADMIUM, TOTAL, BY ICAP WM08 CHROMIUM, TOTAL, BY ICAP WM01 SILVER, TOTAL, BY ICAP WT09 CYANIDE, TOTAL WV37 XYLENES, TOTAL, BY GC/MS WV17 BENZENE, BY GC/MS WV29 ETHYL BENZENE, BY GC/MS WV32 METHYL ETHYL KETONE (2-BUT WV35 4-METHYL-2-PENTANONE(MIBK) WV26 TOLUENE, BY GC/MS WV13 TRICHLOROETHANE, 1, 1, 1-, BY	
COMMENTS: FOR	SUPERFUND ONLY:	SUBSITE IDENTIFIER: OPERABLE UNIT:	

DECONTAMINATION RINSBATE (CONTAMBRISED) PROM OUTDOOR STORAGE RACK ARKA,

nel U.S. Godagical Survey

SAMPLE COLLECTED BY

DRAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII

ENVIRONMENTA	L SERVICES DIV.	25 FUNSTON RD. KANSAS CITY, KS 66115
FY: 95 ACTNO: A	DF13 SAMNO: 001 (QCC: D MEDIA: WATER PL: DONA, BOB
ACTIVITY DES: G	ENERAL ELECTRIC (BURLINGTON IA	REF LATITUDE:
SAMPLE DES: DUP LOCATION: DECON CASE/BATCH/SMO: STORET/AIRS NO:	PLICATE/SAMPLE 001 TAM NINSEATE - CUTOO SEE	DATE TIME FROM REF STOCKAGE RING BEG: 4/19/95 3.35 EAST: NORTH: DOWN:
1 L CUBITAINER 2-40 ML VIALS	PRESERVATIVE 1:1 HN03 1:1 HN03 1:1 HN03 1:1 HN03 NAOH+COOL(4 C) HCL +COOL (4 C)	WM14 LEAD, TOTAL, BY ICAP WM06 CADMIUM, TOTAL, BY ICAP WM08 CHROMIUM, TOTAL, BY ICAP WM01 SILVER, TOTAL, BY ICAP WT09 CYANIDE, TOTAL WV37 XYLENES, TOTAL, BY GC/MS WV17 BENZENE, BY GC/MS WV29 ETHYL BENZENE, BY GC/MS WV32 METHYL ETHYL KETONE (2-BUT WV35 4-METHYL-2-PENTANONE(MIBK) WV26 TOLUENE, BY GC/MS WV13 TRICHLOROETHANE, 1, 1, 1-, BY
COMMENTS: FOR	SUPERFUND ONLY:	SUBSITE IDENTIFIER: OPERABLE UNIT:

Salarel U.S. Grological Survey

DECON. RINSBATE DUPLICATES SAMPLE OUTDOOR STORAGE PACK ARKS

SAMPLE COLLECTED BY :

3

DRAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115

ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115
FY: 95 ACTNO: ADF13 SAMNO: 002 QCC: _ MEDIA: WATER PL: DONA, BOB
ACTIVITY DES: GENERAL ELECTRIC CO. REF LATITUDE:
SAMPLE DES: DECENTAMINATION RINSCATES LOCATION: CATABLE SAFETY BLOG IA CASE/BATCH/SMO: STORET/AIRS NO: DATE TIME FROM REF IN BEG: 4/19/25 4:00 EAST: NORTH: DOWN:
ANALYSIS REQUESTED: CONTAINER PRESERVATIVE MGP NAME 1 L CUBITAINER 1:1 HN03 WM14 LEAD, TOTAL, BY ICAP 1 L CUBITAINER 1:1 HN03 WM06 CADMIUM, TOTAL, BY ICAP 1 L CUBITAINER 1:1 HN03 WM08 CHROMIUM, TOTAL, BY ICAP 1 L CUBITAINER 1:1 HN03 WM01 SILVER, TOTAL, BY ICAP 1 L CUBITAINER NAOH+COOL(4 C) WT09 CYANIDE, TOTAL 2-40 ML VIALS HCL +COOL (4 C) WV37 XYLENES, TOTAL, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV17 BENZENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV29 ETHYL BENZENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV32 METHYL ETHYL KETONE (2-BUT 2-40 ML VIALS HCL +COOL (4 C) WV35 4-METHYL-2-PENTANONE(MIBK) 2-40 ML VIALS HCL +COOL (4 C) WV26 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV36 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV36 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV36 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV36 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV36 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV36 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV36 TOLUENE, BY GC/MS 2-40 ML VIALS HCL +COOL (4 C) WV37 TRICHLOROETHANE, 1, 1, 1-, BY 2-ML VIALS COOL (4 C) WA03 1, 1, 2-TRICHLORO 1, 2, 2-TRIF
COMMENTS: FOR SUPERFUND ONLY: SUBSITE IDENTIFIER: OPERABLE UNIT:
DECONTAMINATION RINSBATE (CONTAINERIZED) PORTABLE SAFETY BUDG.

Clarel U.S. Gradiques Survisio

SAMPLE COLLECTED BY (:

DRAFT FIELD SHEET U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115 FY: 95 ACTNO: ADF13 SAMNO: 003 QCC: F MEDIA: WATER PL: DONA, BOB ACTIVITY DES: GENERAL ELECTRIC CO. REF LATITUDE: LOCATION: WEST BURLINGTON IA PROJECT NUM: A60 PT: LONGITUDE: BEG: 4/19/95 4:05 EAST: SAMPLE DES: TRIP BLANK
LOCATION: G.E. FACUTO BURLING LAB:
CASE/BATCH/SMO: _____/__ LAB: LAB: STORET/AIRS NO: ANALYSIS REQUESTED: PRESERVATIVE MGP NAME CONTAINER 2-40 ML VIALS HCL +COOL (4 C) WV WATER VOLATILES COMMENTS: FOR SUPERFUND ONLY: SUBSITE IDENTIFIER: OPERABLE UNIT:

MOUS, GRELAL SANGE

TRANK

SAMPLE COLLECTED BY /:

(5).

DRAFT FIELD SHEET U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII
ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115
FY: 9 SACTNO: ADFB SAMNO: CO4 QCC: MEDIA: WATBL PL: DONA, B.
ACTIVITY DES: General Electric (c) LOCATION ON FRANCE FOR IA PROJECT NUM: REF LATITUDE: PT: LONGITUDE:
SAMPLE DES: LOCATION: FOR REF PT LOCATION: FOR REF PT LOCATION: FOR REF PT LOCATION: FOR REF PT LAB: END: 1/9/95 4:30 EAST: NORTH: DOWN:
ANALYSIS REQUESTED: CONTAINER PRESERVATIVE MGP NAME WM 14 WSAG
LITER Cubic 11 HAC3 WMOS CARAGON WMOS CARAGON
COMMENTS: FOR SUPERFUND ONLY: SUBSITE IDENTIFIER: OPERABLE UNIT:
LEXIMONT RINSC! DISTILLED WATER TIME from Clean's 55 gallos Low USBD for Container 12 ing WASh WATER From facility decontamination
This Sample Collected At Reavest OF TIBREY MOTERACH,
Montgomery-Walson, to de fermine presence of Aleve-listed
Montgomery-Wakson, to de fermine presence of Above-Listed Metres in Rinsemper of "CLESIAN" 55-97/londroms.

SAMPLE COLLECTED BY :

CHAIN OF CUSTODY RECORD ENVIRONMENTAL PROTECTION AGENCY REGION VII

ny/25/95

ACTIVITY LEADER(P	rint)		NAME (OF SURVE	Y OR ACTIV SAL ELECTR	ITY A	VDF	-13	7	DATE OF COLLECTION SHEET 19 MONTH YEAR / Of /
Lon Liningial			CLUSUR	e gine	en ricon	(-W)	BUR	Ung	1071	DAY MONTH YEAR / UI
CONTENTS OF SHIP	MENT									
SAMPLE	TYPE OF CONTAINERS				VOA SET	5	SAMPLED ME			RECEIVING LABORATORY REMARKS/OTHER INFORMATION
ANUMBER	CUBITAINER	BOTTLE	BOTTLE	BOTTLE	(2 VIALS E	water (4)	soil	sediment	nsı	(condition of samples upon receipt, other sample numbers, etc.)
10-13	4	BERS OF CONTA	INERS PER SA	MPLE NUME	1	1.1	8	S .	-	
1001	· 'F'				+	X	\vdash	+	-	
1001D	12.					X	Ц			
002	121				1	$\cdot \mid \chi$				
MAF					Ti	' X	П			
1001						X	Н	\vdash	+	
WCC+						$+\!\!\!/$	+	+	+	
						\dashv	Н	+	+	
							Ш	\perp	4	
	—						П		\top	2 .
X Note	51. 0	. #	Tan()	7040	200	5			M	As Tolleded
Note	Samp	e # V	204 (EQUIP	mant	cms	23	4	I	13 lollected
AT 1/2	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	moca.		2 to	15 -	711	103	22	1	Representative
74 () ()	ried	1005	3/	コロ	JEN	VIIC	(N	ria		A representative
								4	MX	
				10			П			
				_	12		T		+	
					1	2/	Н	\vdash	+	
					17				_	2
						7				
						X	•			
						_	\vdash	\Box	+	
						+	\vdash	\forall	+	
						\perp	\perp	Н	$\not\perp$	
										\
										\
DESCRIPTION OF SI	HIPMENT				MODE OF	SHIPM	ENT			
		г	DOV/FC)		X co.	MERCI	AL C	ADDI	ED.	FED BX
PIECE(S) C	ONSISTING O	F	- BOX(E2)			IRIER	AL U	Anni	En. —	
ICE CHEST	(S); OTHER _			1		IPLER (CONV	/EYE[)	8443347323 (SHIPPING DOCUMENT NUMBER)
PERSONNEL CUSTO	IDV RECORD								,	
RELINGUISHED BY			TIME	RE	CEIVED BY		4	10	1/9	REASON FOR CHANGE OF CUSTODY
Mil. 5/1	0	1 1	0/35 12:	00 -	Minl.	R	di	Di	.17	$\mathcal{D}_{\mathbf{a}}$
SEALED	UNSEAL		15 12	∀ i:	SEALED	1 10	UN	SEA	LED	d Walgers
RELINQUISHED BY		DATE	TIME		CEIVED BY	,				REASON FOR CHANGE OF CUSTODY
SEALED	UNSEAL				CEIVED BY	,	UN	ISEA	LED	REASON FOR CHANGE OF CUSTODY
RELINQUISHED BY		DATE	TIME	RE	CEIVED B	F				TREASON ON CHARGE ST COSTOST
D SEALED	UNSEAL	ED		h ,	SEALED		UN	NSEA	LED	Н

ANALYSIS REQUEST REPORT

FOR ACTIVITY: ADF13

DONA, BOB

05/12/95 16:34:44

ALL REAL SAMPLES AND FIELD Q.C.

* FINAL REPORT

FY: 95 ACTIVITY: ADF13

DESCRIPTION: GENERAL ELECTRIC CO.

LOCATION: WEST BURLINGTON

IOWA

STATUS: ACTIVE

TYPE: SAMPLING - IN HOUSE ANALYSIS

PROJECT: A60

LABO DUE DATE IS 5/21/95. REPORT DUE DATE IS 6/18/95.

INSPECTION DATE: 4/19/95 ALL SAMPLES RECEIVED DATE: 04/21/95

ALL DATA APPROVED BY LABO DATE: 05/12/95

FINAL REPORT TRANSMITTED DATE: 00/00/00

EXPECTED LABO TURNAROUND TIME IS 30 DAYS

EXPECTED REPORT TURNAROUND TIME IS 60 DAYS

ACTUAL LABO TURNAROUND TIME IS 21 DAYS

ACTUAL REPORT TURNAROUND TIME IS O DAYS

SITE CODE:

SITE:

SAMP. NO. QCC I		SAMPLE # STATUS	CITY	STATE	AIRS/ STORET LAY- BEG. LOC NO SECT ER DATE	BEG. TIME	END. END. Date time
001 001 D 002 003 F	DECON RINSATE-OUTDOOR STORAGE RACKS DECONTAMINATION RINSATE/DUPLICATE DECON RINSATE/PORTABLE SAFETY BLDG. TRIP BLANK EQUIPMENT RINSATE	1 WI 1 WI 1 WI	EST BURLINGTON EST BURLINGTON EST BURLINGTON EST BURLINGTON EST BURLINGTON	IOWA IOWA IOWA IOWA	04/19/95 04/19/95 04/19/95 04/19/95 04/19/95	15:35	00/00/00 00:00 00/00/00 00:00 00/00/00 00:00 00/00/00 00:00 00/00/00 00:00

```
ANALYTICAL RESULTS/MEASUREMENTS INFORMATION:
SAMPLE INFORMATION:
                                                                               COMPOUND = MGP (MEDIA-GROUP-PARAMETER) CODE AND NAME OF
             = SAMPLE IDENTIFICATION NUMBER (A 3-DIGIT NUMBER
SAMP. NO.
                                                                                            THE MEASURED CONSTITUENT OR CHARACTERISTIC
               WHICH IN COMBINATION WITH THE ACTIVITY NUMBER
               AND QCC, PROVIDES AN UNIQUE NUMBER FOR EACH SAMPLE
                                                                                            OF EACH SAMPLE
                                                                                          = SPECIFIC UNITS IN WHICH RESULTS ARE REPORTED:
                                                                               UNITS
               FOR IDENTIFICATION PURPOSES)
                                                                                                  = CENTIGRADE (CELSIUS) DEGREES
             = QUALITY CONTROL CODE (A ONE-LETTER CODE USED TO
QCC
               DESIGNATE SPECIFIC QC SAMPLES. THIS FIELD WILL BE
                                                                                                 = CUBIC FEET PER SECOND
                                                                                                 = GALLONS PER MINUTE
               BLANK FOR ALL NON-QC OR ACTUAL SAMPLES):
                                                                                            GPM
               B = CAL INCREASED CONCENTRATION FOR A LAB SPIKED DUP SAMPLE
                                                                                            IN
                                                                                                  = INCHES
                                                                                            I.D. = SPECIES IDENTIFICATION
               D = MEASURED VALUE FOR FIELD DUPLICATE SAMPLE
                                                                                            KG
                                                                                                  = KILOGRAM
               F = MEASURED VALUE FOR FIELD BLANK
               G = MEASURED VALUE FOR METHOD STANDARD
                                                                                            L
                                                                                                   = LITER
                                                                                            LB
                                                                                                  = POUNDS
               H = TRUE VALUE FOR METHOD STANDARD
               K = CAL INCREASED CONCENTRATION FOR FIELD SPIKED DUP SAMPLE
                                                                                                  = MILLIGRAMS (1 X 10-3 GRAMS)
                                                                                            MG
                                                                                                 = MILLION GALLONS PER DAY
                                                                                            MGD
               L = MEASURED VALUE FOR A LAB DUPLICATE SAMPLE
                                                                                                 = MILES PER HOUR
               M = MEASURED VALUE FOR LAB BLANK
                                                                                            MPH
                                                                                                  = MILLIVOLT
                                                                                            MV
               N = MEASURED CONCENTRATION OF FIELD SPIKED DUPLICATE
                                                                                            M/F = MALE/FEMALE
               P = MEASURED VALUE FOR PERFORMANCE STANDARD
                                                                                            M2
                                                                                                 = SQUARE METER
               R = CAL INCREASED CONCENTRATION RESULTING FROM LAB SPIKE
                                                                                            M 3
                                                                                                 = CUBIC METER
               S = MEASURED CONCENTRATION OF LAB SPIKED SAMPLE
               T = TRUE VALUE OF PERFORMANCE STANDARD
W = MEASURED CONCENTRATION OF LAB SPIKED DUPLICATE
Y = MEASURED CONCENTRATION OF FIELD SPIKED SAMPLE
                                                                                            NA
                                                                                                 = NOT APPLICABLE
                                                                                                   = NANOGRAMS (1 X 10-9 GRAMS)
                                                                                           NG
                                                                                           NTU = NEPHELOMETRIC TURBIDITY UNITS
                                                                                           PC/L = PICO (1 X 10-12) CURRIES PER LITER
               7 = CAL INCREASED CONCENTRATION RESULTING FROM FIELD SPIKE
                                                                                                  = PICOGRAMS (1 X 10-12 GRAMS)
                                                                                            PG
                1 = MEASURED VALUE OF FIRST SPIKED REPLICATE
                                                                                            P/CM2 = PICOGRAMS PER SQUARE CENTIMETER
                2 = MEASURED VALUE OF SECOND SPIKED REPLICATE
                                                                                            SCM = STANDARD CUBIC METER (1 ATM, 25 C)
                3 = MEASURED VALUE OF THIRD SPIKED REPLICATE
                                                                                            SQ FT = SQUARE FEET
                4 = MEASURED VALUE OF FOURTH SPIKED REPLICATE
                                                                                                  = STANDARD UNITS (PH)
= MICROGRAMS (1 X 10-6 GRAMS)
                                                                                            SU
                5 = MEASURED VALUE OF FIFTH SPIKED REPLICATE
                                                                                            UG
                6 = MEASURED VALUE OF SIXTH SPIKED REPLICATE
                                                                                            UMHOS = MICROMHOS/CM (CONDUCTIVITY UNITS)
U/CC2 = MICROGRAMS PER 100 SQUARE CENTIMETERS
                7 = MEASURED VALUE OF SEVENTH SPIKED REPLICATE
             = MEDIA CODE (A ONE-LETTER CODE DESIGNATING THE MEDIA
                                                                                            U/CM2 = MICROGRAMS PER SQUARE CENTIMETER
                OF THE SAMPLE):
                                                                                            1000G = 1000 GALLONS
                A = AIR H = HAZARDOUS WASTE/OTHER
                                                                                            +/- = POSITIVE/NEGATIVE
               S = SOLID (SOIL, SEDIMENT, SLUDGE)
T = TISSUE (PLANT & ANIMAL)
                                                                                                   = NUMBER
                W = WATER (GROUND WATER, SURFACE WATER, WASTE WATER, DATA QUALIFIERS = SPECIFIC CODES USED IN CONJUNCTION WITH
                                                                                            DATA VALUES TO PROVIDE ADDITIONAL INFORMATION
                    DRINKING WATER)
                                                                                            ON THE REPORTED RESULTS, OR USED TO EXPLAIN
DESCRIPTION = A SHORT DESCRIPTION OF THE LOCATION WHERE SAMPLE WAS
                                                                                            THE ABSENCE OF A SPECIFIC VALUE:
                COLLECTED
AIRS/STORET LOC. NO. = THE SPECIFIC LOCATION ID NUMBER OF EITHER OF
                                                                                            BLANK = IF FIELD IS BLANK, NO REMARKS OR
                                                                                                     QUALIFIERS ARE PERTINENT. FOR FINAL REPORTED DATA, THIS MEANS THAT THE
                         THESE NATIONAL DATABASE SYSTEMS, AS APPROPRIATE
DATE/TIME INFORMATION = SPECIFIC INFORMATION REGARDING WHEN THE SAMPLE
                                                                                                     VALUES HAVE BEEN REVIEWED AND FOUND
                           WAS COLLECTED
                           BEG. DATE = DATE SAMPLING WAS STARTED BEG. TIME = TIME SAMPLING WAS STARTED
                                                                                                     TO BE ACCEPTABLE FOR USE.
                                                                                    I = INVALID SAMPLE/DATA - VALUE NOT REPORTED

J = DATA REPORTED BUT NOT VALID BY APPROVED
                           END DATE = DATE SAMPLING WAS COMPLETED
                                                                                                 QC PROCEDURES
                           END TIME = TIME SAMPLING WAS COMPLETED
                                                                                    K = ACTUAL VALUE OF SAMPLE IS < VALUE REPORTED
                           NOTE: A GRAB SAMPLE WILL CONTAIN ONLY BEG.
                                                                                  E ACTUAL VALUE OF SAMPLE IS VALUE REPORTED

L = ACTUAL VALUE OF SAMPLE IS > VALUE REPORTED

M = DETECTED BUT BELOW THE LEVEL OF REPORTED

VALUE FOR ACCURATE QUANTIFICATION

O = PARAMETER NOT ANALYZED

U = ACTUAL VALUE OF SAMPLE IS < THE MEASUREMENT

DETECTION LIMIT (REPORTED VALUE)
                                  DATE/TIME
                                  A TIMED COMPOSITE SAMPLE WILL CONTAIN
                                  BOTH BEG AND END DATE/TIME TO DESIGNATE
                                  DURATION OF SAMPLE COLLECTION
OTHER CODES
                V = VALIDATED
```

COMPOUND	UNITS	001	00)1 D	81	002	003 F		004	:
WAO3 1,1,2-TRICHLORO 1,2,2-TRIFLUOROETHANE	.UG/L	4 U	4	U		4 U		:		
	UG/L	7.88 U	:7.88	3 U	. :	496			7.88	U:
	UG/L	3.69 U	:3.69) U	. :	4.99			3.69	U:
	UG/L	14.2 U	14.	2 L	:	25.5		:	14.2	U:
	UG/L	25.1 U	25.	1 L	<u>.</u>	25.1 U		:	25.1	U :
WTO9 CYANIDE, TOTAL	MG/L	0.004 U	0.0	04 L	J :	0.480				
WVO3 CHLOROMETHANE, BY GC/MS	UG/L		<u>:</u>		:		: 7 :	U :		
WVO4 BROMOMETHANE, BY GC/MS	UG/L		. : - :		:		: 4 :	U :		·:
WVO5 VINYL CHLORIDE, BY GC/MS	UG/L		_ :				: 5 :	U :		·:
WVO6 CHLOROETHANE, BY GC/MS	UG/L		_:				: 4	U :		:
WVO7 METHYLENE CHLORIDE (DICHLOROMETHANE)	UG/L		.:				:12	U :		:
WVO8 DICHLOROETHYLENE,1,1-	uG/L		_: -:		:		: 4	U :	:	·:
WV09 DICHLOROETHANE,1,1, BY GC/MS	UG/L		. :				: 3	U :	: :	·:
WV11 CHLOROFORM, BY GC/MS	UG/L						: 4	U :		:
WV12 DICHLOROETHANE,1,2, BY GC/MS	UG/L	: : :					: 4	U :	: 	:
WV13 TRICHLOROETHANE, 1, 1, 1-, BY GC/MS	UG/L	4 U	4		U :	4 U	: 4 :	U ;		
WV14 CARBON TETRACHLORIDE, BY GC/MS	:UG/L	: :	.				: 4	U 		:
WV15 BROMODICHLOROMETHANE, BY GC/MS	UG/L	: :					: 4 :	U -		:
WV16 DICHLOROPROPANE,1,2, BY GC/MS	UG/L						: 4	U 		0
WV17 BENZENE, BY GC/MS	UG/L	4 U	4		U 	4 U	: 4	U 		:
WV19 TRICHLOROETHYLENE	UG/L	: : :					: 4	U 		
WV20 DICHLOROPROPYLENE, CIS-1,3, BY GC/MS	UG/L	: :					:5 :	U 		
WV21 DIBROMOCHLOROMETHANE, BY GC/MS	UG/L	: : :					:3	U 	:	
WV22 TRICHLOROETHANE,1,1,2-, BY GC/MS	:UG/L	: :					: 4 :	U 	:	
WV24 BROMOFORM, BY GC/MS	:UG/L	: :					: 3	U 		
WV25 TETRACHLOROETHYLENE	UG/L		:			: :	: 4	U 		

VALIDATED DATA

COMPOUND	UNITS	001	001 D	002	003 F	004
WV26 TOLUENE, BY GC/MS	: :UG/L	: : 4 U	: : 4 U	: : 4 U	4 U	:
WV27 TETRACHLOROETHANE, 1, 1, 2, 2, BY GC/MS	UG/L		:	:	4 U	
WV28 CHLOROBENZENE, BY GC/MS	UG/L		:	:	4 U	
WV29 ETHYL BENZENE, BY GC/MS	UG/L	4 U	4 U	4 U	4 U	
WV30 ACETONE, BY GC/MS	UG/L				9 U	
WV31 CARBON DISULFIDE, BY GC/MS	UG/L		:	:	3 U	
WV32 METHYL ETHYL KETONE (2-BUTANONE)	UG/L	. 15 U	. 15 U	:15 U	15 U	
WV34 HEXANONE, 2-	UG/L			:	14 U	
WV35 4-METHYL-2-PENTANONE(MIBK)	UG/L	3 U	. 3 U	. 3 U	3 U	
WV36 STYRENE, BY GC/MS	UG/L		:		4 U	
WV37 XYLENES, TOTAL, BY GC/MS	UG/L	4 U	4 U	. 4 U		
WV40 DICHLOROPROPYLENE, TRANS-1,3	UG/L				3 U	
WV67 XYLENE, M AND/OR P	UG/L		:		4 U	
WV70 XYLENE, ORTHO	UG/L		:	:	4 U	
WV72 DICHLOROBENZENE,1,4-(PARA)	UG/L		:	:	5 U	
WV74 DICHLOROBENZENE,1,3-(META)	UG/L				4 U	
WV77 DICHLOROBENZENE,1,2-(ORTHO)	UG/L				4 U	
WV78 DICHLOROETHYLENE, TRANS-1,2	UG/L		:	:	3 U	
WV82 DICHLOROETHYLENE, CIS-1,2	UG/L		:	:	3 U	
ZZO1 SAMPLE NUMBER	: NA	001	: 001	:002	003	004
ZZO2 ACTIVITY CODE	N A	ADF13	: ADF13	ADF13	ADF13	ADF13

ACTIVITY ADF13 GENERAL ELECTRIC CO.

THE PROJECT LEADER SHOULD CIRCLE ONE - STORET, AIRS, OR ARCHIVE.

CIRCLE ONE:

STORET

AIRS

FINAL DATA REPORT APPROVED BY PROJECT LEADER ON 05/12/95 16:34:44 BY Robert B. Dona